

## Aluminium Hot Rolling Coil Catalogue



A manufacturer specialized in producing aluminium hard alloys and cladding materials

www.suncity-metal.com



## **Product Introduction**


GBS is a specialized manufacturer in producing Aluminium hard alloys and cladding materials. This catalogue is to present the high-class hot rolled coil stock for foil and cold mill industry, mainly covering alloys of 1 xxx, 3xxx and 5xxx series.



## Aluminium Hot Rolling Coil Catalogue

Typical Alloy	Typical Temper	Specification mm		Φ/mm		W/t	
		Thicknes s	Width	Inner Dia.	Max. Outer Dia.	Max. Single Coil Weight	Typical application of final product
1070 1085 1090	F/O	2.2-15	1100 1150 1200 1250 1300 1350 1500	610	2560	10	Stock for large power battery foil product etc.
3003 300312 300313 300314	F/O			610	2560	28	Stock material for foil of capacitor, pressing containers, shell for Mobile phone battery, and curtain wall etc.
3004 3105	F/O			610	2560	28	Stock material for full aluminium cans, chemical product production and shell of storage device and aprons, etc.
5052 505212	F/O H112			610	2560	28	Stock material for cans end, fuel tank(pipeline) of airplane, shell of mechanical(electrical) and curtain wall, etc.
5754 575412	F/O H112			610	2560	28	Stock material for auto body sheet, and sound barrier of high speed railway, etc.
5182 518212	F/O H112			610	2560	28	Stock material for cans end/ring-pull, Inner auto body sheet, and commercial tanker body sheet, etc.

Product with thickness under 3.5mm can reach min. Inner coil diameter of 505mm.







GUANGXI BAI SHENG LIGHT METAL MATERIAL CO., LTD

Address: No.15, Kunlun Avenue, Xingning District, Nanning City, Guangxi, China

PC: 530000

Tel: +86 771 2872955

Fax: +86 771 2872955

Email: sales@suncity-metal.com



www.suncity-metal.com